

**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)


Ducati Streetfighter Tail Tidy


Installation Instructions




## Kit Contents


- (A) 1 x Reflector Kit
- (B) 1 x Con 10
- (C) 1 x Retro Light
- (D) 1 x M3 x 10 Button Head Bolt
- (E) 2 x M4 Nuts
- (F) 2 x M5 x 12 Button Head Bolt
- (G) 2 x M6 x 16 Button Head Bolt
- (H) 2 x M5 x 16 Button Head Bolt
- (I) 2 x M5 x 65 Caphead Bolt (Double Stem Version)
- (J) 2 x M5 x 45 Caphead Bolt (Single Stem Version)
- (K) 2 x Indicator Adaptors
- (L) 4 x Indicator Stems
- (M) 4 x Indicator Clamps




























Repeat  
Both Sides


 Caution

When fitting the indicator adaptor plate ensure the threaded insert is facing towards the indicator




Repeat  
Both Sides






Repeat  
Both Sides




Repeat  
Both Sides




Second stem only required  
for large numberplates





Repeat  
Both Sides




Repeat  
Both Sides













Caution


Do Not Fully Tighten







Caution

Do Not Fully  
Tighten







Do Not Fully Tighten












G





Caution



Fully  
Tighten





Caution


Fully  
Tighten













Caution


Locate loom in underseat area ensuring they do not get trapped or squashed








H






## **ESSENTIAL CHECKS**

After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)