

EVOTECH®
P E R F O R M A N C E

Triumph Tiger 1200


Quadlock Sat Nav Mount


Installation Instructions






Kit Contents PRN014503-014568


- | | |
|--|---|
| Ⓐ 1 x Main Plate | Ⓛ 2 x M5 Black Washer |
| Ⓑ 1 x Pivot Plate | Ⓜ 2 x M4 x 5mm Black Button Head Bolts |
| Ⓒ 1 x Quad Lock Sub Bracket | |
| Ⓓ 1 x Quad Lock Mounting Bracket | |
| Ⓔ 2 x M5 x 8mm Black Button Head Bolts | |
| Ⓕ 2 x P-clips (No.1) | Sub Kit |
| Ⓖ 2 x P-clips (No.2) | Ⓝ 2 x M5 x 25mm Black Button head Bolts |
| Ⓗ 2 x P-clips (No.3) | Ⓞ 2 x Nylon Washers |
| Ⓘ 2 x P-clips (No.4) | |
| Ⓙ 2 x Lobe Screw | |
| Ⓚ 2 x Locking Washer | |





















A
















Caution


Locate Item In
Recess



OEM PART



OEM PART





ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that all bolts are tightened to the specified torque settings.

Should the bike be involved in an accident a thorough inspection should be made and any components that have taken an impact, no matter how small, be replaced



EVOTECH[®]
P E R F O R M A N C E

www.evotech-performance.com