

**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)

Suzuki GSX-S 1000 GT


Tail Tidy




## Kit Contents


- Ⓐ 1 x Retro Light
- Ⓑ 1 x Connector 10
- Ⓒ 2 x M4 Flange Nut
- Ⓓ 2 x No 2 P-clip
- Ⓔ 2 x M4 x 5mm Black Button Bolts
- Ⓕ 2 x M5 x 12mm Black Button Bolts
- Ⓖ 4 x M6 x 16mm Black Button Bolts


P E R F O R M A N C E













Repeat  
Both Sides




Repeat  
Both Sides




Repeat  
Both Sides







Repeat  
Both Sides





Repeat  
Both Sides



















**RELEASE**


**RE-SET**

**RE-FIT**













EXTECH  
PERFORMANCE




































WARNING Protected by  
PATENT








Repeat  
Both Sides




Repeat  
Both Sides



Repeat  
Both Sides


EP  
PERFORMANCE






OEM PART

Repeat  
Both Sides





OEM PART

Repeat  
Both Sides




Repeat  
Both Sides




EVO  
P E R F O M  
C E


Repeat  
Both Sides













EVO TECH<sup>®</sup>  
P E R F O R M A N C E







Caution

Run wires neatly down the channel in both parts ensuring they do not get trapped or squashed






EV  
PERFORMANCE





PERFORM





OEM PART






















Caution


Run wires neatly down the channel in both parts ensuring they do not get trapped or squashed






















EP  
EVOLUTION  
PERFORMANCE

G


EVOLUTION  
PERFORMANCE






EVOTECH<sup>®</sup>

P E R F O R M A N C E





EVOTECH<sup>®</sup>  
P E R F O R M A N C E



## **ESSENTIAL CHECKS**



After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.





**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)